

11. Xiang J, Yan H, Li J, et al. Transperineal versus transrectal prostate biopsy in the diagnosis of prostate cancer: a systematic review and meta-analysis. *World J Surg Oncol*. 2019; 17(1): 31.
12. Tu X, Liu Z, Chang T, et al. Transperineal Magnetic Resonance Imaging-Targeted Biopsy May Perform Better Than Transrectal Route in the Detection of Clinically Significant Prostate Cancer: Systematic Review and Meta-analysis. *Clin Genitourin Cancer* 2019; 17(5): e860–870.
13. Rai BP, Mayerhofer C, Somani BK, et al. Magnetic Resonance Imaging/Ultrasound Fusion-guided Transperineal Versus Magnetic Resonance Imaging/Ultrasound Fusion-guided Transrectal Prostate Biopsy-A Systematic Review. *Eur Urol Oncol*. 2021 Jan 18.
14. Bruyère F, d’Arcier BF, Boutin J-M, Haillot O. Is urine culture routinely necessary before prostate biopsy? *Prostate Cancer Prostatic Dis*. 2010; 13(3): 260–262.
15. Baba K, Sekine Y, Miyazawa Y, et al. Assessment of antimicrobial prophylaxis in transperineal prostate biopsy: A single-center retrospective study of 485 cases. *J Infect Chemother Off J Jpn Soc Chemother*. 2018; 24(8): 637–640.
16. Iremashvili VV, Chepurov AK, Kobaladze KM, Gamidov SI. Periprostatic Local Anesthesia With Pudendal Block for Transperineal Ultrasound-guided Prostate Biopsy: A Randomized Trial. *Urology* 2010; 75(5): 1023–1027.
17. Marra G, Zhuang J, Marquis A, et al. Pain in Men Undergoing Transperineal Free-Hand Multiparametric Magnetic Resonance Imaging Fusion Targeted Biopsies under Local Anesthesia: Outcomes and Predictors from a Multicenter Study of 1,008 Patients. *J Urol* 2020; 204(6): 1209–1215.
18. Vyas L, Acher P, Kinsella J, et al. Indications, results and safety profile of transperineal sector biopsies (TPSB) of the prostate: a single centre experience of 634 cases. *BJU Int* 2014; 114(1): 32–37.
19. Thurtle D, Starling L, Leonard K, et al. Improving the safety and tolerability of local anaesthetic outpatient transperineal prostate biopsies: A pilot study of the CAMbridge PROstate Biopsy (CAMPROBE) method. *J Clin Urol* 2018; 11: 205141581876268.
20. Babaei Jandaghi A, Habibzadeh H, Falahatkar S, Heidarzadeh A, Pourghorban R. Transperineal Prostate Core Needle Biopsy: A Comparison of Coaxial Versus Noncoaxial Method in a Randomised Trial. *Cardiovasc Intervent Radiol* 2016; 39(12): 1736–1742.
21. Lopez JF, Campbell A, Omer A, et al. Local Anaesthetic Transperineal Prostate (LATP) biopsy using a probe-mounted transperineal access system: a multi-centre prospective outcome analysis. *BJU Int*. 2021 Jan 15.
22. Leyh-Bannurah S-R, Kachanov M, Beyersdorff D, et al. Minimum Magnetic Resonance Imaging-Ultrasound Fusion Targeted Biopsy Cores Needed for Prostate Cancer Detection: Multivariable Retrospective, Lesion Based Analyses of Patients Treated with Radical Prostatectomy. *J Urol* 2020; 203(2): 299–303.
23. Song G, Ruan M, Wang H, et al. How Many Targeted Biopsy Cores are Needed for Clinically Significant Prostate Cancer Detection during Transperineal Magnetic Resonance Imaging Ultrasound Fusion Biopsy? *J Urol* 2020; 204(6): 1202–1208.
24. Bass EJ, Donaldson IA, Freeman A, et al. Magnetic resonance imaging targeted transperineal prostate biopsy: a local anaesthetic approach. *Prostate Cancer Prostatic Dis* 2017; 20(3): 311–317.
25. Marra G, Marquis A, Tappero S, et al. Transperineal Free-hand mpMRI Fusion-targeted Biopsies Under Local Anesthesia: Technique and Feasibility From a Single-center Prospective Study. *Urology* 2020; 140: 122–31.
26. Ryšánková K, Hanzlíková P, Vrtková A, et al. Transperineálně prováděné fúzní US/MRI navigované biopsie prostaty. 2021; Jan 22 [cited 2021 Feb 25]; Available from: <http://czechurol.cz/doi/10.nnnn/cur.2021.001.html>.
27. He B-M, Chen R, Shi Z-K, et al. Trans-Perineal Template-Guided Mapping Biopsy vs. Freehand Trans-Perineal Biopsy in Chinese Patients With PSA < 20 ng/ml: Similar Cancer Detection Rate but Different Lesion Detection Rate. *Front Oncol* 2019; 9: 758.